

## General X-ray (Chest & Bone Radiography)

- What is General X-ray (Radiography)?
- What are some common uses of the procedure?
- How should I prepare?
- What does the equipment look like?
- How does the procedure work?
- How is the procedure performed?
- What will I experience during and after the procedure?
- Who interprets the results and how do I get them?
- What are the benefits vs. risks?
- What are the limitations of General X-ray? (Radiography)



### What is Bone X-ray (Radiography)?



An x-ray (radiograph) is a noninvasive medical test that helps physicians diagnose and treat medical conditions. Imaging with x-rays involves exposing a part of the body to a small dose of ionizing radiation to produce pictures of the inside of the body. X-rays are the oldest and most frequently used form of medical imaging.

A bone x-ray makes images of any bone in the body, including the hand, wrist, arm, foot, ankle, knee, leg or spine.

A chest X-ray make image of the lungs and surrounding tissues.

### What are some common uses of the procedure?

A General X-ray is used to:

- diagnose broken bones or joint dislocation.
- demonstrate proper alignment and stabilization of bony fragments following treatment of a fracture.
- guide orthopedic surgery, such as spine repair/fusion, joint replacement and fracture reductions.
- look for injury, infection, arthritis, abnormal bone growths, bony changes seen in metabolic conditions.
- assist in the detection and diagnosis of bone cancer.
- locate foreign objects in soft tissues around or in bones.
- Lung infections eg TB, pneumonia



## How should I prepare?

Most General x-rays require no special preparation.

You may be asked to remove some or all of your clothes and to wear a gown during the exam. You may also be asked to remove jewelry, eye glasses and any metal objects or clothing that might interfere with the x-ray images.

Women should always inform their physician or Radiographer if there is any possibility that they are pregnant. Many imaging tests are not performed during pregnancy so as not to expose the fetus to radiation. If an x-ray is necessary, precautions will be taken to minimize radiation exposure to the baby. *See the Safety page for more information about pregnancy and x-rays.*

## What does the equipment look like?

The equipment typically used for bone x-rays consists of an x-ray tube suspended over a table on which the patient lies. A drawer under the table holds the x-ray film or image recording plate.

A portable x-ray machine is a compact apparatus that can be taken to the patient in a hospital bed or the emergency room. The x-ray tube is connected to a flexible arm that is extended over the patient while an x-ray film holder or image recording plate is placed beneath the patient.

## How does the procedure work?

X-rays are a form of radiation like light or radio waves. X-rays pass through most objects, including the body. Once it is carefully aimed at the part of the body being examined, an x-ray machine produces a small burst of radiation that passes through the body, recording an image on photographic film or a special digital image recording plate.

Different parts of the body absorb the x-rays in varying degrees. Dense bone absorbs much of the radiation while soft tissue, such as muscle, fat and organs, allow more of the x-rays to pass through them. As a result, bones appear white on the x-ray, soft tissue shows up in shades of gray and air appears black.

Until recently, x-ray images were maintained as hard film copy (much like a photographic negative). Today, most images are digital files that are stored electronically. These stored images are easily accessible and are sometimes compared to current x-ray images for diagnosis and disease management.

## How is the procedure performed?

The Radiographer, an individual specially trained to perform radiology examinations, positions the patient on the x-ray table and places the x-ray film holder or digital recording plate under the table in the area of the body being imaged. When necessary, sandbags, pillows or other positioning devices will be used to help you maintain the proper position. A lead apron may be placed over your pelvic area or breasts when feasible to protect from radiation.

You must hold very still and may be asked to keep from breathing for a few seconds while the x-ray picture is taken to reduce the possibility of a blurred image. The Radiographer will walk behind a wall or into the next room to activate the x-ray machine.

You may be repositioned for another view and the process is repeated. Two or three images (from different angles) will typically be taken around a joint (knee, elbow or wrist).

An x-ray may also be taken of the unaffected limb, or of a child's growth plate (where new bone is forming), for comparison purposes.

When the examination is complete, you will be asked to wait until the radiologist determines that all the necessary images have been obtained.

A bone x-ray examination is usually completed within five to 10 minutes.

## What will I experience during and after the procedure?

The x-ray examination itself is a painless procedure.

You may experience discomfort from the cool temperature in the examination room. You may also find holding still in a particular position and lying on the hard examination table uncomfortable, especially if you are injured. The Radiographer will assist you in finding the most comfortable position possible that still ensures x-ray image quality.

## Who interprets the results and how do I get them?

A radiologist, a physician specifically trained to supervise and interpret radiology examinations, will analyze the images and send a signed report to your primary care or referring physician, who will discuss the results with you.

## What are the benefits vs. risks?

### Benefits

- Bone x-rays are the fastest and easiest way for a physician to view and assess broken bones and joint and spine injuries.
- X-ray equipment is relatively inexpensive and widely available in emergency rooms, physician offices, ambulatory care centers, nursing homes and other locations, making it convenient for both patients and physicians.
- Because x-ray imaging is fast and easy, it is particularly useful in emergency diagnosis and treatment.
- No radiation remains in a patient's body after an x-ray examination.
- X-rays usually have no side effects in the diagnostic range.
- Chest X-ray is usually the fastest way to detect some lung infections

### Risks

- There is always a slight chance of cancer from excessive exposure to radiation. However, the benefit of an accurate diagnosis far outweighs the risk.
- During a single x-ray exposure, a patient is exposed to approximately 20 milliroentgens of radiation. We are all exposed to approximately 100 milliroentgens of radiation each year from sources like the ultraviolet rays of the sun and small traces of radioactive isotopes, such as uranium, in the soil. *See the Safety page for more information.*
- Women should always inform their physician or x-ray Radiographer if there is any possibility that they are pregnant. *See the Safety page for more information about pregnancy and x-rays.*

## A word about Minimizing Radiation Exposure

Special care is taken during x-ray examinations to use the lowest radiation dose possible while producing the best images for evaluation. National and international radiology protection councils continually review and update the technique standards used by radiology professionals.

State-of-the-art x-ray systems have tightly controlled x-ray beams with significant filtration and dose control methods to minimize stray or scatter radiation. This ensures that those parts of a patient's body not being imaged receive minimal radiation exposure.

## What are the limitations of Bone X-ray (Radiography)?

While x-ray images are among the clearest, most detailed views of bone, they provide little information about muscles, tendons or joints.

An MRI may be more useful in identifying ligament tears and joint effusions in knee or shoulder injuries and in imaging the spine, because both the bones and the spinal cord can be evaluated. MRI can also detect a bone bruise when no crack is visible on x-ray images.

CT is being used widely to assess trauma patients in emergency departments. A CT scan can image fractures of ribs, bones as well as of the spine and 3D images can be made when appropriate to help diagnosis and treatment of the individual patient's condition. Ultrasound imaging, which uses sound waves instead of ionizing radiation to create diagnostic images, has also been useful for injuries around joints.